

QUESTIONS & ANSWERS

Kill your exam at first Attempt



CIDQ

NCIDQ

National Council for Interior Design Qualification

<https://killexams.com/pass4sure/exam-detail/NCIDQ>



Question: 147

Specifications can be made most concise by

- A. Avoiding the use of words like a, the, and all
- B. Using descriptive specifications
- C. Using phrases instead of complete sentences
- D. Using reference standard specifications

Answer: C

Question: 148

Which design elements could be used to lower the apparent height of a ceiling?

- A. A dark, highly textured ceiling
- B. A light ceiling and textured walls
- C. Strong horizontal lines on the walls
- D. Fine-grained patterns on the ceiling and dark walls

Answer: A

Question: 149

To minimize conflicts in the contract documents, what is the LEAST important action the interior designer can take?

- A. Make sure terminology in the specification is the same as in the drawings
- B. Show only dimensions on the drawings
- C. Have someone check the drawings before they are issued
- D. Write the specification after the drawings are essentially complete

Answer: D

Question: 150

A window covering that is made from fabric and generally not intended to be opened is called

- A. An Austrian shade
- B. Drapery
- C. A curtain
- D. A vertical blind

Answer: C

Question: 151

To detail a doorframe for a conference room where privacy is critical, which of the following is LEAST likely to be required?

- A. An automatic door bottom
- B. A heavy-duty, silent door closer
- C. A solid-core door
- D. Neoprene gasketing

Answer: B

Question: 152

What type of resilient flooring would be the best choice for a commercial kitchen?

- A. Sheet vinyl
- B. 1/8 in (3) commercial grade vinyl tile

- C. Sheet rubber
- D. Heavy-duty cork flooring

Answer: A

Question: 153

What symbol is used to indicate a floor-mounted telephone outlet?

- A. A
- B. B
- C. C
- D. D

Answer: C

Question: 154

Which of the following would be the LEAST desirable choice for a carpet installation for hotel rooms that have concrete subfloors?

- A. Wool carpet direct-glued
- B. Nylon carpet stretched in over a foam cushion
- C. Acrylic carpet direct-glued
- D. Polyester carpet stretched in over a felt cushion

Answer: A

Question: 155

What is NOT required on a 1-hour rated door

- A. Panic hardware

- B. Ball-bearing hinges
- C. Door closer
- D. Metal frame

Answer: A

Question: 156

What type of schedule would be LEAST likely to be found in a set of interior or design drawings?

- A. Millwork schedule
- B. Window schedule
- C. Finish schedule
- D. Equipment schedule

Answer: B

Question: 157

Wallpaper is most useful to a designer in creating

- A. Line
- B. Scale
- C. Pattern
- D. Texture

Answer: C

For More exams visit <https://killexams.com/vendors-exam-list>



Kill your exam at First Attempt....Guaranteed!